

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors: Alenka VESEL, et al.

Patent No. 7,800,376 B2

Issued: September 21, 2010

Confirmation No. 2821

Serial No. 10/590,117

Filed: November 6, 2006

For: **METHOD AND DEVICE FOR MEASURING ULTRAHIGH VACUUM**

Certificate of Correction Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Request for Certificate of Correction Under 37 C.F.R. 1.322

Dear Sir:

Applicants request that the attached Certificate of Correction be issued to correct typographical errors in the above-identified patent. No new matter has been added to the patent and reexamination is not required.

As the error appears to be on the part of the Office, Applicants believe that no fees are required. If, however, any fees for this paper are required, the Commissioner is hereby authorized to charge them to Deposit Account 502190.

Respectfully submitted,

/Stanislav Antolin/

Stanislav Antolin
Registration No. 34,979

SMITH MOORE LEATHERWOOD LLP
P.O. Box 21927
Greensboro, NC 27420
(336) 378-5516

Date: September 28, 2010
File No. 5007653.001US1

CERTIFICATE OF TRANSMISSION

I HEREBY CERTIFY THAT THIS DOCUMENT IS BEING TRANSMITTED VIA EFS-WEB TO THE UNITED STATES PATENT AND TRADEMARK OFFICE ADDRESSED TO: CERTIFICATE OF CORRECTION BRANCH, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, ON September 28, 2010.

(Date)

Mary M. Garner
Name of Depositor

/Mary M. Garner/
Signature

September 28, 2010
Date of Signature

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,800,376 B2

APPLICATION NO.: 10/590,117

ISSUE DATE : September 21, 2010

INVENTOR(S) : Alenka Vesel and Miran Mozetic

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4,

Line 31, "to about 10^6 millibar (mbar)" should read -- to about 10^{-6} millibar (mbar) --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Smith Moore Leatherwood LLP
P.O. Box 21927
Greensboro, NC 27420

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.